An Assessment of Road Impacts on Wildlife Populations in U.S. National Parks



by

Robert J. Ament, M.Sc., Road Ecology Program Manager Anthony P. Clevenger, Ph. D, Senior Research Scientist Olivia Yu, Undergraduate Student, Montana State University Amanda R. Hardy, M.Sc., Research Ecologist

> Western Transportation Institute College of Engineering Montana State University

WTI-MSU Technical Report REP-07-01

April 10, 2007

DISCLAIMER

The opinions, findings and conclusions expressed in this publication are those of the authors and not necessarily those of Montana State University.

Alternative accessible formats of this document will be provided upon request. Persons with disabilities who need an alternative accessible format of this information, or who require some other reasonable accommodation to participate, should contact Kate Heidkamp, Assistant Director for Communications and Information Systems, Western Transportation Institute, Montana State University-Bozeman, PO Box 173910, Bozeman, MT 59717-3910, telephone number 406-994-7018, e-mail: KateL@coe.montana.edu.

ACKNOWLEDGEMENTS

This work was conducted as part of the 2004 WTI Research for Undergraduates (REU) Program at Montana State University. The Western Transportation Institute's Summer Research Experience for Undergraduates (REU) Program in Rural Transportation provided support each summer to eight undergraduate students from colleges and universities nationwide to pursue a ten-week research program at Montana State University in Bozeman. The program was funded by the National Science Foundation/Department of Defense and the U.S. Department of Transportation's Research and Special Programs Administration (now called the Research and Innovative Technologies Administration). Olivia Yu was the REU student who helped conduct the survey.

We would like to thank the many employees of the National Park Service who took the time to respond to our survey as well as Jim Evans, Susan Grosser, and Ray Sauvajot who reviewed a draft of the manuscript and whose constructive input greatly improved the final draft.

The following people provided support and assistance on the project: Meredith Evans Wagner helped fill in gaps from the original report. Angela Kociolek reviewed and commented on a draft of the manuscript. Kate Heidkamp provided generous support to complete the manuscript. We thank Susan Gallagher for planning and coordinating the Research Experience for Undergraduates program at Montana State University-Bozeman. Finally, thanks to Marcel Huijser and Pat McGowen of WTI for the use of photos from their research. The cover photo by Marcel Huijser was taken in the Lamar Valley of Yellowstone National Park.

Citation: Ament, R.J., Clevenger, A.T., Yu, O. and A. R. Hardy. 2007. An Assessment of Road Impacts on Wildlife Populations in U.S. National Parks. WTI-MSU Technical Report REP-07-01, Western Transportation Institute at Montana State University. 37 pp.

Keywords: Data collection, habitat fragmentation, mitigation, mortality, national park service, survey, road ecology, road network, transportation, questionnaire, wildlife.

TABLE OF CONTENTS

1. Intro	oduction	1
1.1.	Overview of wildlife-transportation issues	
1.2.	U.S. National Park system and wildlife-transportation issues	
2. Met	hods	5
3. Res	ults	6
3.1.	Background information	
3.1.	1. Survey respondents	7
3.1.2	2. National Park Service road system	7
3.2.	Data collection	9
3.2.	1. Road Mortality	9
3.2.2	2. Habitat Fragmentation	9
3.3.	Wildlife Transportation Conflicts	
3.4.	Mitigation of transportation-wildlife conflicts	
4. Disc	cussion	
4.1.	NPS Road System Characterization	
4.2.	NPS Road Effects Data Collection	
4.3.	Transportation-Wildlife Conflicts	
4.4.	Wildlife Conflict Mitigation	
5. Sum	nmary	
6. App	endix A: National Park Unit questionnaire	
7. App	bendix B: List of National Park Units that Responded to survey	
8. Refe	erences	

LIST OF TABLES

Table 1: Characteristics of the National Park Service Road System 8
Table 2: National Park Service road mortality data collection and habitat fragmentation data collection for various wildlife groups
Table 3: Estimated level of magnitude of road impacts on wildlife populations. 10
Table 4: Estimated degree of severity of road impacts on adjacent lands compared to within NP unit lands 11
Table 5: Estimated road mortality and habitat fragmentation effects on populations of wildlife groups
Table 6. Types of mitigation techniques used and the number of different mitigation techniques used by National Park units (if mitigation efforts were in place). 13

LIST OF FIGURES

Figure 1: Elk calf crossing road in Grand Teton National Park (Credit: Pat McGowen/WTI) 2
Figure 2: Experimental roadside animal detection – driver warning system in Yellowstone National Park (Credit: Marcel Huijser, WTI)
Figure 3. Vehicle colliding with mule deer in Big Bend National Park. (Credit: Marcel Huijser, WTI)

ABSTRACT

Current U.S. National Park Service management is challenged to balance visitor access with the environmental and social consequences of motor vehicle use. Wildlife populations in national parks are vulnerable to road impacts; however, there is little knowledge of how, or to what degree, roads might affect wildlife populations in the national park system. Researchers at the Western Transportation Institute at Montana State University synthesized information obtained from a system-wide survey of resource managers to assess the severity of their concerns on the impacts of roads on park wildlife. The results of the survey help characterize current conditions and identify wildlife-transportation conflicts. A total of 196 National Park Service management units (NP units) were contacted and 106 responded to our questionnaire. Survey responses indicate that over half of the NP units' existing transportation systems were perceived to be at or above capacity, with traffic volumes currently high or very high in one quarter of them and traffic expected to increase in the majority of units. Data are not collected systematically on road-related mortality to wildlife, yet nearly half of the respondents believed road-caused mortality significantly affected wildlife populations. Over one-half believed habitat fragmentation was affecting wildlife populations. Given these expressed concerns, only 36% of the NP units used some form of mitigation method to reduce road impacts on wildlife. Nearly half of the respondents indicated the impacts would only worsen in the next five years. The results underscore the importance of a more systematic approach to address wildlife-roadway conflicts that are expected to increase in the next five to ten years.

Keywords: Data collection, habitat fragmentation, mitigation, mortality, National Park Service, survey, road ecology, road network, transportation, wildlife

1. INTRODUCTION

"...to promote and regulate the use of the...national parks...which purpose is to conserve the scenery and the natural and historic objects and the wild life therein and to provide for the enjoyment of the same in such manner and by such means as will leave them unimpaired for the enjoyment of future generations." (National Park Service Organic Act, 16 U.S.C.1.)

1.1. Overview of wildlife-transportation issues

Currently, public roads have direct and indirect ecological effects on an estimated one-fifth of the area of the U.S. with the 'road-effect zone' extending hundreds of meters from the road itself (Forman 2000). These effects include habitat loss, degradation and fragmentation; direct wildlife mortality; and road avoidance behaviors by wildlife (Andrews 1990, Bennett 1991, Forman and Alexander 1998). Further, wildlife-vehicle collisions affect the safety of drivers; nation-wide, deer (*Odocoileus spp.*) - vehicle collisions have been estimated at 720,000-1.5 million annually (Conover 1995, Romin and Bissonette 1996). More recent data by State Farm Insurance indicates that nationally there are approximately 1,000,000 wildlife-vehicle collisions based on the number of claims for collisions with deer, elk (*Cervus elaphus*), and moose (*Alces alces*) and the company's proportion of the market share of each state's auto insurance policies (Miles 2006).

During the next 25 years, significant growth and changes in the nation's economy and population are expected to pose new challenges for transportation and the environment. In some areas of the United States today, roads are an obstacle to maintaining ecological connectivity and a threat to the long-term persistence of key wildlife populations (Noss et al. 1996, Sweanor et al. 2000, Gibbs and Shriver 2002, Epps et al. 2005) and may significantly affect wildlife population demographics (Gibbs and Steen 2005).

Adverse road effects are amplified with increasing road size (Fahrig et al. 1995, Lovallo and Anderson 1996), speed limits (Gunther 2000), and traffic volume (Seiler 2003, Waller and Servheen 2005). For every kilometer (0.62 mile) of highway construction, an estimated 644 hectares (1591 acres) of land is converted from its original vegetative cover or made available for further development, resulting in a significant loss of habitat to wildlife (Wolf 1981). Wildlife populations using areas adjacent to roads face increased mortality risk due to collisions with vehicles (Mumme et al. 2000).

Populations of threatened or endangered species, and migrating species are especially vulnerable to road mortality (Kline and Swann 1998, Lode 2000, Aresco 2003). The habitat fragmentation effects of roads can isolate wildlife populations unwilling or unable to cross roads (Wayne et al. 1992, Gerlach 2000), while increased noise, pollution, and edge effects can make habitat less favorable for many species (Chomitz and Gray 1996). Population densities for large mammals tend to be lower within 100-200 m of roads (Lyon et al. 1996, Yost and Wright 2001, Rowland et al. 2000, Chruszcz et al. 2003). In Europe, small mammals, such as hedgehogs (*Erinaceus europaeus*), avoid roads in proportion to increases in road width rather than risk road mortality (Huijser 2000, Rondinini and Doncaster 2002). Other road effects include habituation of wildlife to humans potentially resulting in increased human-wildlife encounters (Mattson and Blanchard 1992, Olson et al. 1997, Gibeau 1998).

An emerging area of interest is the effects of roads on fragmenting wildlife populations. A study of bobcat (*Lynx rufus*) and coyote (*Canis latrans*) populations affected by a busy southern California freeway indicated that although individuals successfully crossed the highway, they did not always contribute to gene flow through reproduction (Riley et al. 2006). The home ranges of these two territorial species abutted, but did not cross the highway, resulting in significant genetic differentiation between populations on either side (Strasburg 2006).



Figure 1: Elk calf crossing road in Grand Teton National Park (Credit: Pat McGowen/WTI)

1.2. U.S. National Park system and wildlife-transportation issues

There were more than 273 million recreational visits to U.S. National Parks in 2005 with projections of nearly 270 million and 268 million in 2006 and 2007, respectively (National Park Service 2005). Much of the public's access within these parks is provided by an estimated 8,855 kilometers (5,500 miles) of paved roads and 7,245 kilometers (4,500 miles) of unpaved roads. There are many additional roads, paved and unpaved, that access or pass through national parks that are maintained by state and local agencies. The U.S. National Park Service (NPS) also has 115 alternative transportation systems in 99 parks, such as shuttles or buses, although 34 of these are water-based (National Park Service 2007a). This surface transportation system provides the American public with a variety of options for visiting National Parks via motorized transport.

By providing protection and habitat for nearly one-quarter of the threatened and endangered species in the United States, national parks are important conservators of biodiversity (National Parks Conservation Association 2004). In addition to preserving threatened and endangered species, the NPS is mandated to protect all resource values as well as provide for visitor enjoyment (National Park Service 2003). These dual roles are often difficult to balance as

individual park visitation levels increase, transportation systems are strained and increased recreational use adds pressure on natural systems (Truett et al. 2002, Kelly 2003).

National park wildlife populations are increasingly vulnerable to road impacts. From 1989 through 2005 there were 116,000 vehicle collisions documented in the national parks. Approximately 10 percent of these crashes were wildlife vehicle collisions; they accounted for 12,577 of the reported crashes from 1989 through 2006 (National Park Service 2007b). Traffic-related mortality of wildlife is a concern in several national parks (Bernardino and Dalrymple 1992, Rosen and Lowe 1994, Kline and Swann 1998, Hawes 2000, Burson et al. 2000). Research suggests that increasing bus traffic on the Denali park road has affected caribou (*Rangifer tarandus*) and grizzly bear (*Ursus arctos*) movements (Singer and Beattie 1986, Yost and Wright 2001). Even at low speeds, heavy traffic has been known to block animal movements in parks such as Yellowstone and Great Smoky Mountains (Gunther et al. 2000). Other road-related impacts include the attraction of wildlife to food from passing vehicles and invasion of non-native plant species (Tyser and Worley 1992, Gibeau 2000, Strittholt and Dellasala 2001, National Park Service 2003, Hansen and Clevenger 2005).

Wildlife populations within national parks are not necessarily more protected than those residing outside their boundaries (Newmark 1995, Parks and Harcourt 2002). Some parks can have wildlife road mortalities in the tens of thousands (Kline and Swann 1998) with significant impacts on certain populations (e.g. moose: Bangs et al. 1989; snakes: Bernardino and Dalrymple 1992, Rosen and Lowe 1994; large mammals: Gunther et al. 1998). Canadian parks lose hundreds to thousands of animals each year (Damas and Smith 1982). Other than isolated reports on incidences of traffic-related wildlife mortality, there is little knowledge of how roads might affect wildlife populations in U.S. national parks and adjacent lands. Mortality, roadeffect zones and habitat fragmentation effects have been the focus of few studies in national parklands. However, Glacier National Park, Montana, has invested in mitigation measures to allow mountain goats (Oreamnos americanus) to safely cross under a busy park road to access a mineral lick (Singer and Doherty 1985). Park studies of road impacts have been primarily focused at the level of individuals, whereas population- and ecosystem/community-level impacts have not been contemplated to our best knowledge. A synthesis of information obtained from a system-wide survey of resource managers in US national parks could provide information capable of characterizing current conditions and help identify future wildlife-transportation conflicts and potential mitigation measures in these important landscapes.

The purpose of this survey was to assess the degree to which park resource managers were concerned about road impacts on wildlife populations in U.S. National Park Service management units (NP units). By surveying park managers, we attempt to qualitatively assess the severity of their concern. An effective identification and assessment of wildlife issues involving transportation will help the US National Park Service gauge the ecological impact of roads systematically.

The specific objectives of this study were to survey NPS staff responsible for resource conservation to

- obtain information characterizing their NP unit's road system,
- describe data collection practices and estimates of the severity of road impacts affecting wildlife groups,

- identify whether mitigation practices are being used to reduce impacts to wildlife, and
- assess future park transportation trends and potential impacts to wildlife populations.

The findings of this survey will fill an important gap in knowledge about the broad impacts of public roads on wildlife populations throughout the national park system. Further, this synthesis characterizes current and future wildlife-transportation issues so that proper planning for mitigation measures can be anticipated and parks ultimately managed for sustainable transportation to safely accommodate the visiting public while providing for the long-term persistence of viable wildlife populations. Lastly, it should be noted this study examined qualitative information based on NPS employee perceptions; therefore, further analyses may be needed to better quantify and understand key findings.

2. METHODS

We identified 388 NP units to include in our survey; however, only 196 (51%) had public access roads. For these 196 NP units we created a contact list from a NPS employee directory that consisted of one park service employee per NP unit. Questionnaires were sent via electronic mail to the park service employee that we estimated could best answer questions about wildlife and resources for his or her NP unit; this was generally the resources management specialist or the superintendent if a NP unit was small.

We requested information on the following four main areas:

- **Background information** Background information regarding the survey participant's experience in the NP unit and its road network (e.g., length of public roads, posted speed limits, traffic volumes, road construction history, road capacity, existence of a public transportation system, and location of the nearest U.S. Interstate highway).
- Data collection and management Assessment of data collection and management of traffic-related mortality of five wildlife groups (amphibians, reptiles, large herbivores, large carnivores, small/medium-sized mammals) and studies of habitat fragmentation caused by park roads. Respondents were asked for which wildlife group they had data regarding road-related wildlife mortality and habitat fragmentation. Additionally, the survey requested quantitative data on who reported road-kills and how the effects of habitat fragmentation caused by roads were assessed.
- Wildlife-transportation conflicts The survey asked respondents to characterize road impacts on wildlife populations by direct mortality, habitat fragmentation, habitat loss, human habituation, and risks to human safety. They were also requested to assess the respective magnitude of these same factors within and outside of the NP unit. In addition, we wanted NPS experts to estimate the severity of road-related mortality and habitat fragmentation on the five wildlife groups.
- **Mitigation practices** Respondents were asked whether they used mitigation practices to offset transportation-wildlife conflicts in their respective NP Unit, what they consisted of and if the measures were monitored and evaluated for their effectiveness.

Survey data from each responding NP unit were entered in a Microsoft® Excel spreadsheet and summary statistics were generated. The entire questionnaire with methodological details can be found in Appendix A, and the list of NP units that responded to the survey is in Appendix B.

3. RESULTS



Figure 2: Experimental roadside animal detection – driver warning system in Yellowstone National Park (Credit: Marcel Huijser, WTI)

3.1. Background information

Of the 196 disseminated surveys, we received 106 completed surveys for a 54% response rate. Nine respondents indicated the survey was not applicable to their situation. Of these nine NPS units, three were National Historic Trails that cross over several state boundaries, five were National Heritage Areas or Corridors that have a combination of private and public properties, and one was a working farm. An additional four NP units could not reply as the responsible personnel were not available. Two of the returned questionnaires covered multiple NP units. The Flagstaff Area questionnaire included information corresponding to three units, Sunset Crater Volcano National Monument (NM), Walnut Canyon NM, and Wupatki NM. Also, questionnaires that were sent out to NP units in the Washington, D.C. area (Fort Washington Park, Greenbelt Park, and Suitland Parkway) were consolidated into National Capital Parks-East.

3.1.1. Survey respondents

Of those officials responding, 64% were resource managers, 20% were wildlife/ecology specialists, 14% were park superintendents, and 22% held some other position in the park. Of those responding, 43% had been at their position for 1-5 years, 28% had been at their position for 6-10 years, 23% had been at their position for more than 10 years and only 7% had held their position for less than one year.

3.1.2. National Park Service road system

The NP units represented by this survey range in size from 16 hectares (40 acres) to over 809,371 hectares (2 million acres) with 49% containing less than 34 km (21 miles) of roads, 17% with 34-64 km (21-40 miles) of roads, 11% with 66-129 km (41-80 miles) of roads, 11% with 130-257 km (81-160 miles) of roads, 9% with 259-644 km (161-400 miles) of roads and 3% with more than 644 km (400 miles) of roads.

Ten percent of the respondents indicated their NP unit's entire road system was posted with maximum speeds less than 33 km per hour (21 miles per hours [mph]) and more than half (52%) had all their roads posted with maximum speeds of less than 66 km per hour (41 mph) (Table 1.A.). However, 59% responded that they have at least some road sections in their NP unit with speeds greater than 64 km per hour (40 mph).

Fifty-four percent of the responses indicated that the existing transportation systems in their NP unit were being strained at, or above capacity (Table 1.B.1.). Slightly more than one-third reported their NP unit's transportation systems below capacity. Public transportation was not available in 79% of the NP units (Table 1.B.2.). Traffic volumes were categorized as high or very high in 26% of the NP units with expected increases in traffic expected in 76% of the NP units (Table 1.C.). No new road construction occurred in nearly three-quarters (74%) of the NP units, and only 21% had plans for new road reconstruction, resurfacing, or rehabilitation projects (Table 1.D.).

The distance to the nearest U.S. Interstate highway was reported by 74 of the NP unit respondents. Eleven of the 74 reporting had interstate highways bisecting the NP unit, while 12 had an interstate highway traversing along a NP unit border or one which was located less than 1.6 km (1 mile) from a border. Sixteen of the respondents had interstate highways 3-16 km (2-10 miles) away from their NP unit, 9 had interstate highways 18-32 km (11-20 miles) away, 19 had interstates 34-80 km (21-50 miles) away, and 8 had interstate highways greater than 80 km (50 miles) away. Of the 74 NP units that responded, the furthest reported interstate highway was 128 km (80 miles) away.

A. SPEED LIMITS ON ROADS (Posted speed limit in kilometers per hour (kph))	NP units responding positively (n=106)	Percent of responses
Road sections >64 kph (>40 miles per hour [mph])	62	58.5
Road sections 33-64 kph (21-40 mph)	86	81.1
Road sections 16-32 kph (10-20 mph)	63	59.4
Road sections <16 kph (<10 mph)	20	18.9
All road sections <16 kph (<10 mph)	2	1.9
All road sections <33 kph (<21 mph)	9	8.5
All road sections <66 kph (<41 mph)	44	41.5
B.1. ROAD SYSTEM CAPACITY		
Existing system below capacity	38	35.8
Existing system at capacity	45	42.5
Existing system above capacity	12	11.3
Uncertain of existing system capacity	11	10.4
B.2. PUBLIC TRANSPORTATION		
Public transportation available	22	20.8
Public transportation not available	84	79.2
C.1. TRAFFIC VOLUMES		
Low	18	17
Moderate	61	57.5
High	15	14.2
Very high	12	11.3
C.2. TRAFFIC VOLUME FORECAST		
Expected to increase	80	75.5
Expected to stay the same	16	15.1
Expected to decrease	0	0
Expected trend unknown	10	9.4
D.1. ROAD CONSTRUCTION		
New construction within last 10 years	27	25.5
No new construction within last 10 years	78	73.6
D.2. ROAD CONSTRUCTION FORECAST		
Planning to build new roads	22	20.8
Not planning to build new roads	75	70.8
Uncertain about plans to build new roads	9	8.5

Table 1: Characteristics of the National Park Service Road System

3.2. Data collection

3.2.1. Road Mortality

According to national park websites and national park biologists, not all of the five wildlife groups are present in all NP units. Small- and medium-sized mammals are the only wildlife group in all 106 NP units responding to the survey. Amphibians and reptiles are in 104 (98%) NP units, large herbivores are in 100 (94%) NP units, while large carnivores are in only 63 (59%) of the 106 NP units. NP units were most likely to collect road mortality data for large herbivores and large carnivores and least likely to collect data for amphibians (Table 2).

Table 2: National Park Service road mortality data collection and habitat fragmentation data collection for various wildlife groups

Wildlife Group	NP Units With	NP Units Collecting Data ⁸	
	Group Present	Road	Habitat
	(n=106)	Mortality	Fragmentation
		(n=53)	(n=11)
Amphibians	104	23	2
Reptiles	104	26	4
Large Herbivores	100	37	7
Large Carnivores	63	26	5
Small/Medium Mammals	106	30	2

^a National Park (NP) units collecting data on one or more wildlife groups.

Half of the NP units responding (53) collect some kind of road mortality data for wildlife. This information was collected mostly by park rangers or other law enforcement personnel (59%), followed by resource management staff (56%), visitor reports (46%), volunteers or interns (42%), maintenance staff (9%) and researchers (6%).

3.2.2. Habitat Fragmentation

Only 11 NP units responding (10%) collected data on the effects of roads on wildlife habitat fragmentation. The large herbivores wildlife group was the only category for which more than half of the 11 respondents collected habitat fragmentation data. (Table 2).

Nine of the 11 (82%) NP units reporting on habitat fragmentation effects of roads used radio telemetry methods as their main method of data collection, 6 of the 11 (55%) used field surveys, 6 (55%) used observational methods, and 2 (18%) used non-invasive sampling methods. Five of the 11 NP (45%) units that collected data on habitat fragmentation effects used one method, while only two (18%) used all four of the abovementioned methods.

3.3. Wildlife Transportation Conflicts

Of the 106 NP units that completed the survey, 51 (48%) responded that road mortality "greatly" affected wildlife populations within their NP unit. This was exceeded only by habitat fragmentation at 57 (54%). Forty-two (40%) reported that habitat loss "strongly" affected wildlife, 33 (31%) reported wildlife populations also were "strongly" affected by habituation to humans-wildlife feeding, and 12 (11%) responded that habitat intrusion by roads was affecting wildlife populations. A further 14 (13%) reported there were other critical issues affecting wildlife populations within their parks. These included high visitor numbers during peak breeding and migration seasons, illegal hunting, disease, increased stress levels from high visitor presence, human development, unleashed dogs, overpopulation and invasion by exotic species.

Most respondents estimated that the impacts of road mortality (54%), human habituation-wildlife feeding (43%), and habitat intrusion (32%) were most significant at the local scale (Table 3). The estimates of the effects of habitat fragmentation and habitat loss were more evenly distributed, but the greater number of respondents put them at the landscape level (30% and 29%, respectively).

Impact of roads on wildlife	Local scale (n=106)	Regional scale (n=106)	Landscape scale (n=106)
Road mortality	57 (54%)	16 (15%)	15 (14%)
Habitat fragmentation	28 (26%)	21 (20%)	32 (30%)
Human habituation-wildlife feeding	45 (43%)	9 (9%)	7 (7%)
Habitat intrusion	34 (32%)	5 (5%)	7 (7%)
Habitat loss	25 (24%)	17 (16%)	31 (29%)

Table 3	3: Estimated	level of ma	agnitude of	road impacts or	a wildlife populations
					- ····································

With the exception of habitat intrusion and human habituation-wildlife feeding, most respondents reported that all issues were more severe outside of their NP unit on adjacent lands (Table 4). Road-related mortality was believed to be equally or more severe outside of the NP units by 85% of the respondents. The effects of habitat fragmentation were considered by more than two-thirds of the respondents to be more problematic outside park boundaries. Fifty-five (54%) of the respondents reported that habitat intrusion was not a problem on adjacent lands, while 35 (35%) reported that human habituation-wildlife feeding was not a problem, with another 35 (35%) reporting that it was more severe outside of the park.

Severity of road impacts on wildlife on adjacent lands				
(n=106)	No problem	Less severe	Same severity	More severe
Road mortality	13 (12%)	4 (4%)	37 (35%)	48 (45%)
Habitat fragmentation	18 (17%)	1 (1%)	16 (15%)	67 (63%)
Human habituation-wildlife feeding	35 (33%)	15 (14%)	15 (14%)	35 (33%)
Habitat intrusion	55 (52%)	8 (8%)	20 (19%)	19 (18%)
Habitat loss	22 (21%)	2 (2%)	13 (12%)	65 (61%)

Table 4. Estimated	dogues of gove	with of wood im.	naata an adiaaant	lands compared to	ND	unit lande
Table 4: Estimated	aegree of seve	rity of road imj	pacts on aujacent	ianus compared to	within NP	unit lanus

When asked about factors that contributed to the road mortality problem (respondents could check more than one response), speeding was the most commonly indicated factor (n=65, 62%), although there are no known speeding studies being conducted. This was followed by unpredictable wildlife behavior (n=64, 61%). Other factors included nighttime driving (n=59, 56%), weather (n=22, 21%), and feeding of wildlife (n=12, 11%). Eighteen respondents added additional factors to the list including: drivers deliberately targeting reptiles; wildlife on or crossing roads during migration or other movement events; poorly designed roads; driver inattention; and right-of-way fencing.

Sixty-seven NP units (63%) that responded had wildlife listed under the Endangered Species Act, and of those, 21 (31%) reported that roads in the park threatened those populations. Twenty-eight NP units (42%) reported that roads had little effect on their endangered populations, while a further 18 (27%) were uncertain if roads posed a threat to the populations. Thirty-eight respondents (37%) indicated that roads bisected critical wildlife habitats in their parks, while 19 (18%) were uncertain about road impacts on their parks critical habitats.

Wildlife group	Effects of road mortality			Effects of habitat fragmentati					ntation			
	Low	V	Ν	ledium		High		Low	Ν	/ledium		High
Amphibians (n=94)	69 (69.	.0%)	20	(20.0%)	5	(5.0%)	62	(60.2%)	18	(17.5%)	16	(15.5%)
Reptiles (n=96)	57 (55.	.9%)	29	(28.4%)	10	(9.8%)	60	(58.3%)	20	(19.4%)	16	(15.5%)
Large herbivores (n=96)	52 (52.	.0%)	39	(39.0%)	5	(5.0%)	58	(56.9%)	25	(24.5%)	14	(13.7%)
Large carnivores (n=62)	57 (90.	5%)	4	(6.4%)	1	(1.6%)	41	(65.1%)	15	(23.8%)	4	(6.4%)
Small/Medium mammals (n=98)	36 (34.	0%)	44	(41.5%)	18	(17.0%)	52	(49.1%)	36	(34.0%)	11	(10.4%)

Table 5: Estimated road mortality and habitat fragmentation effects on populations of wildlife groups*.

*(n = number of NP units responding which contain that wildlife group).

Most respondents (>50%) characterized road mortality and habitat fragmentation effects as a low concern for all five wildlife groups. However, 58% cited the effects of road mortality on small-and medium-sized mammals as medium or high (Table 5).



Figure 3. Vehicle colliding with mule deer in Big Bend National Park. (Credit: Marcel Huijser, WTI).

3.4. Mitigation of transportation-wildlife conflicts

Only 38 (36%) of the 106 NP units that responded to the survey reported using some type of mitigation measure to reduce road impacts to wildlife within their NP unit (Table 6.A.). The most common technique used was wildlife signs (53%), followed by speed reduction and public education (both 47%). Other techniques included wildlife crossings and fencing (34% combined). Of the 38 NP units that used mitigation techniques, 17 (45%) used only one technique, 10 (26%) used 2 techniques, and 11 (29%) used 3 or more techniques (Table 6.B.).

Table 6. Types of mitigation techniques used and the number of different mitigation techniques used by National Park units (if mitigation efforts were in place).

6.A. Type of Mitigation Technique	NP Units Using Technique (%)
	(n= 38)
Wildlife Warning Signs	20 (53%)
Speed Reduction	18 (47%)
Public Education	18 (47%)
Wildlife Crossings	7 (18%)
Fencing	6 (16%)
Road Design	4 (11%)
Road Closures	2 (5%)
Public Transportation	1 (3%)
Other	4 (11%)
6.B. Number of Mitigation	Number of NP Units (%)
Techniques Used	(n=38)
1	17 (45%)
2	10 (26%)
3	6 (16%)
4	2 (5%)
5	1 (3%)
6	2 (5%)

Twelve of the 38 NP units (32%) with mitigation programs in place monitor the effectiveness of those measures, 19 of 38 (50%) did not monitor, while two NP units were developing monitoring plans, and three were uncertain whether the measures were being monitored for performance. Of the 12 NP units that monitored the measures, five found them to be effective, one did not, and six had not completed assessments yet.

Seventy-two respondents (68%) reported attending a national park meeting relating to road construction, maintenance or mitigation within their NP unit at least once. If the respondent did not attend a road meeting of this type, there was only a 6% chance that the NP unit would have mitigation programs in place. If the respondent did attend a road meeting, there was a 50% chance that the NP unit had a mitigation program in place.

When asked to predict how road impacts to wildlife will evolve in their NP units over the next five years, 44 respondents (42%) reported that impacts will increase and 48 (45%) reported they will stay the same. Only 11 (10%) of the respondents reported that road impacts to wildlife in their NP unit would improve over the next 5 years. Three of the 106 respondents did not answer this question.

4. DISCUSSION

Just over half (196 of 388) of the National Park Service's management units have public access roads, making wildlife-transportation interactions a broad issue for the Service. This survey on the impacts of roads on terrestrial wildlife had a fairly robust response, with 106 units (of the 196 queried) responding to our survey. The responding NP units were not significantly different in size than all the NP units with public access roads, allowing us to obtain a representative sample of the NPS system through our questionnaires. Therefore, this survey provides insights into transportation-wildlife management issues as the Park Service balances the dual goals of providing for visitor access and enjoyment and the protection of wildlife and its habitat over the long-term.

4.1. NPS Road System Characterization

Questions that were asked to characterize the road transportation system for the NPS highlighted several emerging issues. First, over half (57%) of the NP units' existing transportation systems were perceived to be at or above capacity, with traffic volumes currently high or very high in one quarter of them (26%). This characteristic may be of concern given traffic volumes are expected to increase in over three-quarters of the units (76%). Additionally, of those responding, 79% do not have access provided by transit or alternative transportation systems. Further, roughly 75% of the units have not upgraded or retrofitted their roads in the last 10 years. Infrastructure development for automobile travel consists of one of the most intractable problems in the U.S. National Park system (Dilsaver and Wyckoff 1999).

To address the environmental and social consequences of growing automobile use in the National Park system, the NPS is increasingly considering and implementing alternative transportation systems. The U.S. Congress supported this effort in 1998 with the passage of the Transportation Equity Act for the 21st Century (TEA-21). To meet these infrastructure demands, the NPS established the Alternative Transportation Program in cooperation with the U.S. Department of Transportation to implement its responsibilities under TEA-21. Between 1999-2003, 131 planning projects and 54 alternative transportation construction projects in 75 different NP units were approved costing \$46.3 million (U.S. GAO 2002). However GAO estimated that as much as \$1.5 billion may be needed to address NPS alternative transportation needs in the next 20 years (U.S. GAO 2002).

4.2. NPS Road Effects Data Collection

Nearly half of the respondents (48%) thought road-related wildlife mortality strongly affected populations in their NP unit. Although one-half of the NP units collected some road-related wildlife mortality data, only 16% collected data on all the wildlife groups present in their NP unit. The tendency has been to collect data for large-bodied wildlife as it is likely that large animals impose more dire consequences for motorist safety.

Similar limited efforts to record road-related mortality of animals were discovered in a recent survey of the animal road-kill reporting practices of state and provinicial transportation departments and natural resource agencies in North America. The synthesis showed that only half of the responding transportation agencies (50%) and even fewer natural resource agencies (37%) collected animal carcass data (Huijser et al., in prep.). The draft report suggests that a national standard for the recording of animal-vehicle collisions would likely stimulate

transportation departments and other organizations to collect more spatially accurate data related to road mortality of wildlife. Further, these improved practices would lead to better integration and analyses of the data and ultimately provide useful information to managers. Some transportation agencies are beginning to use Personal Data Assistants (PDA's) in combination with a Geographical Positioning System (GPS) for routine highway maintenance activities (e.g., Washington State; Huijser et al. 2006). Standardized data collection in combination with new technological tools will help state agencies and the NPS with data collection that is more efficient, spatially accurate and standardized. This will help develop more informed analyses for transportation-related decision-making.

Over half of the respondents deemed habitat fragmentation by roads to adversely affect wildlife populations within their NP unit. Yet, the NPS does not systematically measure the effects of roads on wildlife habitat fragmentation. Habitat fragmentation data were collected by 10% of the NP units responding to this survey, with none measuring impacts for all the wildlife groups present in their NP unit. Roads cause changes to wildlife habitat that are more extreme and permanent than other anthropogenic sources of fragmentation (Spellerberg 1998, 2002). When compared to other agents of habitat fragmentation, the isolating effect of roads has received surprisingly little attention by conservation biologists and has gone relatively unnoticed (Forman and Alexander 1998). The general lack of published studies and methodologies by the scientific community measuring the effect of habitat fragmentation by roads may explain why few NP Units collect this information, given most respondents deem habitat fragmentation by roads to be problematic.

4.3. Transportation-Wildlife Conflicts

Of the 106 respondents to the survey, over one-half reported that habitat fragmentation affected wildlife populations in their NP unit and nearly one half responded that road-related mortality impacted wildlife populations in their NP unit. However, when asked in a more wildlife specific manner, most NPS respondents (>50%) characterized road-related mortality and habitat fragmentation effects by roads as low for all wildlife groups in their NP units, with the exception of the effects of road-related mortality on small- and medium-sized mammals. This may be due to their interpretations of individual-level mortality compared to population-level effects. Wildlife may die on roads but whether the mortality translates to population-level impacts will vary greatly among species and areas. It should be noted that much of this feedback is based on perception, as only 16% responded that they collect data for all the wildlife groups present in their NP units. The disparity for habitat fragmentation may be explained by the fact that most respondents lacked quantitative data that measured the indirect effects of habitat fragmentation by roads in their NP units on their groups of wildlife.

Protecting endangered species has a higher level of responsibility for NPS managers and nearly two-thirds of the NP units responding had wildlife listed under the Endangered Species Act. Of the NP units with endangered species, nearly a third reported that roads in the park threatened those populations, while a further 27% were uncertain as to whether their roads pose a threat to their imperiled populations. This implies that over half of the NP units responding may have roads that adversely impact populations of endangered species. In addition, of the 67 NP units with endangered species, 36% indicated that roads bisected critical habitats for these species. The impacts of roads on endangered species on NPS lands will require further review to ascertain if it is systematically problematic.

4.4. Wildlife Conflict Mitigation

Only 36% of the 106 respondents to the survey indicate that their NP unit is using at least one type of mitigation technique to reduce road impacts to wildlife within their NP unit. Yet, nearly half of the respondents (48%) thought road-related mortality strongly affected wildlife populations in their NP unit. This dissonance indicates additional mitigation may be needed in NP units throughout the system.

Most visitors arrive and travel through national parks by car or bus, so mitigating road impacts to wildlife populations is good stewardship that will help maintain the biological integrity of park ecosystems (Forman et al. 2003). Several national parks in Canada and the U.S. have implemented projects that have successfully reduced road-wildlife conflicts. In Banff National Park, Alberta, Canada, closure of a section of the Lake Minnewanka Loop road was a successful effort to restore connectivity for predator and prey species in critical valley-bottom montane habitat (Duke et al. 2001). Highway mitigation measures such as wildlife fencing and crossings have been installed along roads with high traffic densities in national parks such as Everglades, Glacier, and Banff (Singer and Doherty 1985, Foster and Humphrey 1995, Clevenger and Waltho 2000). A more recent example involves the U.S. National Park Service working with the California Department of Transportation to mitigate road impacts on wildlife along State Route 23 near the Santa Monica Mountains National Recreation Area. This ongoing project involves installing fencing, clearing culverts and monitoring the effects of these actions before and after their implementation (R. Sauvajot, pers. comm.).

Other mitigation practices include animal-detection systems (Huijser and McGowen 2003), and novel or moveable signage on low volume roads (Hindelang et al. 1999, Messmer et al. 1999). Managers in Jasper National Park, Alberta, Canada, introduced 70 kph (43 mph) "slow down for wildlife" zones in three areas of the park and monitoring indicated these efforts were effective in reducing vehicle collisions with elk, deer and moose, but not for bighorn sheep (Bertwistle 2001).

More than two-thirds of the respondents reported attending a meeting related to road construction, maintenance or mitigation within their NP unit at least once. If the interviewee did attend a road meeting, there was a 50% chance of the NP unit having a mitigation program in place. This may indicate that additional training and exposure to successful roadway mitigation techniques and successes in other parks may prove beneficial to park managers.

When asked to predict how road impacts to wildlife will evolve over the next five years, nearly half of the respondents indicated the impacts would increase. An equal proportion of respondents felt that road-related impacts to wildlife would remain at their existing level. Thus, the perception by most Park Service managers suggests that nearly 90% of the respondents expected road impacts to wildlife populations to increase or remain at their existing level. This is consistent with the responses which predict three-quarters of the management units in the survey will have increased traffic volumes and there will be few new road re-construction projects or other improvements to the roads infrastructure (21%).

Americans own 243 million motor vehicles and use those vehicles for 89% of all daily travel (Bureau of Transportation Statistics 2005). Travel by car continues to grow faster than the U.S. population or the economy, with more cars, more drivers, and more miles per person each year (National Research Council 1997, 2002). Automobiles allow easier access to national parks and other recreational areas, changing both the length and frequency of travel: for example, in

Yosemite National Park the availability of overnight accommodation is capped, yet the number of visitors continues to increase – the result of day-users commuting in cars and tour busses from nearby regions (Forman et al. 2003). Over time, increasing vehicle traffic on park roads may alter behavior of individual animals and decrease habitat quality (Gibeau 2000).

Vehicle travel in Yosemite National Park is growing despite the fact the capacity of roads serving the Sierra region and the Park itself are not expanding. The problem of transportation infrastructure development and carrying capacity is prevalent throughout the National Park system. Alternative transportation is being promoted in the NPS as a means of easing the tension between automobiles, roads, and park preservation. Although it is not the ideal solution for all the NPS problems, alternative transportation does hold the potential to mitigate many environmental impacts, including road-related mortality and habitat fragmentation effects, that are associated with transportation infrastructure and a reliance on personal automobiles as the primary means of public access (White 2007).

5. SUMMARY

Given the NPS's mandate to both protect wildlife and provide access for the enjoyment of visitors, this survey indicates that in a majority of cases the management of wildlife-road conflicts is based on assumptions and perceptions, not on analyses of data that are systematically collected. Road-related mortality and habitat fragmentation effects by roads are quantifiable causes of loss to wildlife populations, yet a minority of NP units measure, mitigate, and monitor these impacts on their wildlife populations, including species listed under the Endangered Species Act.

The report indicates that wildlife-transportation conflicts are perceived as major concerns by Park Service managers. This highlights the importance for the NPS to recognize the need for a systematic approach to reducing these conflicts, particularly because this situation is predicted to deteriorate over the next five to ten years. Our results identify a variety of opportunities for wildlife sensitive roadway mitigation for the NPS's transportation system's planning, design and implementation.

Increasing the agency's attention to address the impacts of roads on wildlife and ecosystem values is a responsibility consistent with the agency's charter. Our report provides compelling evidence, from the perspective of NPS professionals, that roadway impacts to wildlife are a present and future challenge. We are hopeful and confident that this report and other similar efforts will help catalyze improvements by the NPS to provide safe public access while conserving park wildlife resources in perpetuity.

6. APPENDIX A: NATIONAL PARK UNIT QUESTIONNAIRE

An Assessment of Road Impacts on Wildlife Populations in U.S. National Parks

This survey is being conducted by the Western Transportation Institute at Montana State University. The purpose of this survey is to gather important information from park officials on the impacts of roads on wildlife populations within the U.S. National Park system. A national park (NP) unit is defined as any land that is designated under the U.S. National Park Service's jurisdiction: National Battlefields, Heritage Areas, Historic Parks, Historic Sites, Lakeshores, Memorials, Monuments, Parks, Parkways, Preserves, Recreation Areas, Refuges, Seashores, and Trails.

While participation in this survey is strictly voluntary, your opinions are very important to this research project. Please return the completed questionnaire via email or fax by July 15, 2004.

Name: _____

National Park Unit:

A. BACKGROUND INFORMATION

- 1. What is your position?
 - a) Superintendent
 - b) Resource Management Manager
 - c) Wildlife Specialist
 - d) Other (Please specify):
- 2. How many years have you worked in this position at this NP unit?
 - a) less than or equal to 1 year
 - b) 2-5 years
 - c) 6-10 years
 - d) more than 11 years
- 3. An estimate of the miles of public roads in your NP unit is:

(Public roads can be paved or unpaved, but excludes service roads).

- a) 0 20 miles
- b) 21-40 miles
- c) 41-80 miles

- d) 81-160 miles
- e) 161-400 miles
- f) Other (Please specify):

4. What proportion of the roads in your NP unit fall within these speed limit categories?

- a) Less than 10 mph % of roads
- b) 10- 20 mph _____% of roads
- c) 21- 40 mph _____% of roads
- d) 40 mph or faster % of roads
- 5. How would you characterize the average traffic volume on the main roads in your NP unit?
 - a) Low (≤ 100 vehicles per day [VPD])
 - b) Medium (100-2000 VPD)
 - c) High (2000-4000 VPD)
 - d) Very High (> 4000 VPD)
- 6. In the last 10 years, has there been any new road construction in your NP unit?

a) Yes b) No c) Do not know

7. Are there plans to build new roads in the next 10 to 20 years?

a) Yes b) No c) Do not know/ Not sure

8 How would you characterize the existing road system and road capacity (or level of service) that is necessary for visitors in your NP unit?

- a) Below capacity
- b) At capacity
- c) Over capacity
- d) Do not know

9. Do you have a public transportation system on the roads to/within your NP unit?

a) Yes b) No c) Not sure

10. Within the next 10 years, do you project the visitor traffic volume to your NP unit to

a) Increase b) Decrease c) Remain level d) Do not know/ Not sure

11. Is there an interstate near the NP unit? If yes, what is the distance from the interstate to the NP unit?

a) Yes; _____ miles from the NP b) No

B. DATA COLLECTION

12. On which group of wildlife do you collect road-kill data? (Circle all that apply.)

- a) Amphibians
- b) Reptiles
- c) Large Herbivores
- d) Large Carnivores
- e) Small/ Medium-sized Mammals
- f) Other (e.g. invertebrates):

13. How are wildlife road-kills reported?

- a) Visitor
- b) Park ranger/law enforcement
- c) Resource management staff
- d) Volunteer/interns
- e) Other (Please specify): _____

14. On which group of wildlife is data on habitat fragmentation effects of roads collected? (Circle all that apply).

- a) Amphibians
- b) Reptiles
- c) Large Herbivores
- d) Large Carnivores
- e) Small/ Medium-sized mammals
- f) None of the above: data not collected. Please skip to Question 16.

15. How were data on habitat fragmentation effects of roads collected?

- a) Field Survey
- b) Radiotelemetry
- c) Non-invasive sampling
- d) Observations
- e) Other (Please specify):

C. WILDLIFE-TRANSPORTATION CONFLICTS

16. Which of the following issues significantly affect wildlife populations in your NP unit? (Circle all that apply)

- a) Road mortality
- b) Habitat fragmentation (including full or partial barrier effects)
- c) Human habituation/ animal feeding
- d) Increase danger/risk to visitors (e.g. habitat intrusion)
- e) Habitat loss
- f) Other (Please specify):
- 17. Estimate the magnitude of each impact using the following scale:
- (L) = Local; mainly confined to road segments, like a stretch of road
- (R) = Regional; a watershed or size of a small park
- (LE) = Landscape and ecosystem-wide: size of a large park
- (Use all that apply)

Impacts	Scale (L, R, LE)
Road mortality	
Habitat fragmentation	
Human habituation/animal feeding	
Increase danger/risk to visitors	
Habitat loss	
Other	

18. Do the impacts listed below occur beyond your NP unit boundary in adjacent lands? If yes, to what degree of severity? If no, skip to Question 19.

(Check one severity box for each impact).

	Degree of Severity			
Impacts	More severe	Less severe	Same	Not applicable
Road mortality				
Habitat fragmentation				
Human habituation/animal feeding				
Increase danger/risk to visitors				
Habitat loss				
Other				

19. Are there any threatened, endangered, or locally extinct vertebrate species within your NP unit?

- a) Yes (go to Question 20)
- b) No (go to Question 21)
- c) Not aware of any in my NP unit

20. Are any of these wildlife populations threatened by roads?

a) Yes b) No c) Not sure/ do not know

21. What causes do you believe contribute to most road-related mortality of wildlife? (Circle all that apply).

- a) Weather conditions
- b) Speeding
- c) Nighttime driving/poor visibility
- d) Unpredictable animal behavior
- e) Human feeding of wildlife
- f) Other (Please specify):

22. With regard to wildlife populations in general, how severe would you characterize road-related mortality to the following 5 groups?

[Indicate (L) for Low or None; (M) for Moderate; (H) for High; and (NP) for Not Present].

Animal group	Severity (L, M, H, or NP)
Amphibians	
Reptiles	
Large Herbivores	
Large Carnivores	
Small/ Medium-sized mammals	

23. Do roads in your NP unit cut through critical habitat of some species?

a) Yes b) No c) Do not know

24. With regard to wildlife populations in general, how severe would you characterize habitat fragmentation effects of roads for the following 5 groups?

[Indicate (L) for Low or None; (M) for Moderate; (H) for High; and (NP) for Not Present].

Animal group	Severity (L, M, H, or NP)
Amphibians	
Reptiles	
Large Herbivores	
Large Carnivores	
Small/ Medium-sized mammals	

25. Describe what single road or road system in your park has the greatest impact on single or multiple wildlife populations in your park. Describe the road in terms of number of lanes, traffic volume, traffic speed, feeding of wildlife, etc. Indicate N/A if not applicable.

D. MITIGATION PRACTICES

- 26. Have mitigation practices been used to reduce road impacts to wildlife in your NP unit?
 - a) Yes (go to Question 27)
 - b) No (go to Question 30)
 - c) Not sure

27. What types of mitigation techniques were employed? (Circle all those that apply).

- a) Animal passages (over or under roads)
- b) Fencing
- c) Road design
- d) Speed reduction
- e) Public transit (shuttle buses, light rail, etc.)
- f) Wildlife signage
- g) Public education and awareness campaigns
- h) Other (Please specify):
- 28. Are the mitigation techniques being monitored for performance?

	a) Yes	b) No	c) Monitoring plans are being developed	d) Not sure
--	--------	-------	---	-------------

29. Were the mitigation techniques judged to be effective?

a) Yes b) No c) Do not know yet d) Not sure

Please explain the basis for your answer (observational studies, subjective opinion, anecdotal information, etc.).

30. During your employment with the U.S. National Park Service, have you participated in a national park meeting (either internal or external) relating to road construction, maintenance, or mitigation within your NP unit?

a) Yes b) No

31. Please describe how you expect road impacts to wildlife will evolve in your NP unit in the next 5 years (get better, become worse, or stay the same).

Thank you for your information and opinions. Please return your completed questionnaire by July 15, 2004, via email at <u>WTIOFCAD@coe.montana.edu</u> or fax to 406-994-1697.

7. APPENDIX B: LIST OF NATIONAL PARK UNITS THAT RESPONDED TO SURVEY

Acadia National Park (NP) Agate Fossil Beds National Monument (NM) Allegheny Portage Railroad National Historic Site (NHS) Antietam National Battlefield (NB) Appomattox Court House National Historic Park (NHP) Badlands NP **Big Hole NB** Big South Fork Nat. River & Recreation Area Big Thicket National Preserve (NP) Bighorn Canyon National Recreation Area (NRA) Blue Ridge Parkway Bryce Canyon NP **Buffalo** National River Cabrillo NM Canaveral National Seashore (NS) Canyonlands NP Cape Cod NS Cape Hatteras NS Catochin Mountain Park Chiricahua NM City of Rocks National Reserve Colorado NM Cowpens NB Crater Lake NP Craters of the Moon NM Cumberland Gap NHP Delaware Water Gap NRA **Devils Postpile NM Everglades NP**

Flagstaff Area NMs (Sunset, Walnut Canyon, Wupatki) Florissant Fossil Beds NM Fort Necessity NB Fort Pulaski NM Fort Washington Park (NACE) Fossil Butte NM Frederick & Spotsylvania National Military Park (NMP) Gateway NRA George Washington Birthplace NM George Washington Memorial Parkway Gettysburg NMP Glacier NP Golden Spike NHS Grand Canyon NP Great Basin NP Great Smoky Mountains NP Guadalupe Mountains NP Hagerman Fossil Beds NM Hampton NHS Harper's Ferry NHP Herbert Hoover NHS Hopewell Furnace NHS Horseshoe Bend NMP Hot Springs NP John Day Fossil Beds NM Kenai Fjords NP Klondike Gold Rush NHP Lake Mead NRA Lake Roosevelt NRA Lassen Volcanic NP Lava Beds NM Lyndon Johnson NHP Manassas National Battlefield Park

Manzanar NHS
Mesa Verde NP
Mississippi National River & Recreation Area
Moores Creek NB
Mount Rainer NP
Natchez Trace Parkway
Niobrara National Scenic River
Ocmulgee NM
Olympic NP
Organ Pipe Cactus NM
Padre Island NS
Petersburg NB
Petrified Forest NP
Pictured Rocks National Lakeshore (NL)
Pipe Spring NM
Point Reyes NS
Pu'ukohola Heiau NHS
Redwood NP
Rocky Mountains NP
Saguaro NP
Salinas Pueblo Missions NM
San Antonio Missions NHP
Santa Monica Mountains NRA
Saratoga NHP
Scotts Bluff NM
Sequoia & Kings Canyon NP
Shiloh NMP
Sleeping Bear Dunes NL
Stones River NB
Theodore Roosevelt NP
Thomas Stone NHS
Timucuan Ecological & Historic Preserve
Vicksburg NMP

Voyageurs NP Whiskeytown NRA White Sands NM Wind Cave NP Yellowstone NP

8. REFERENCES

- Andrews, A. 1990. Fragmentation of habitat by roads and utility corridors: A review. Australian Journal of Zoology. 26:130-141.
- Aresco, MJ. 2003. Highway mortality of turtles and other herpetofauna at Lake Jackson, Florida, USA and the efficacy of a temporary fence/culvert system to reduce road kills. In: Irwin CL, Garrett P, and McDermott KP, editors. Proceedings of the International Conference on Ecology and Transportation; 2003 August 24-29; Lake Placid, NY.
- Bangs, EE, TN Bailey, and MF Portner. 1989. Survival rates of adult female moose on the Kenai Peninsula, Alaska. Journal of Wildlife Management. 53:557-563.
- Bennett, AF. 1991. Roads, roadsides and wildlife conservation: A review. In: Saunders DA, Hobbs RJ, editors. Nature Conservation 2: The Role of Corridors. Chipping Norton, Australia: Surrey Beatty. p. 99-117.
- Bernardino, Jr. FS and GH Dalrymple. 1992. Seasonal activity and road mortality of the snakes of the Pa-hay-okee wetlands of Everglades National Park, USA. Biological Conservation. 62:71-75.
- Bertwistle, J. 2001. Description and analysis of vehicle and train collisions with wildlife in Jasper National Park, Alberta, Canada, 1951-1999. Pages 433-434, in: Proceedings of the 2001 International Conference on Ecology and Transportation. Center for Transportation and the Environment, North Carolina State University, Raleigh, N.C.
- Bureau of Transportation Statistics. 2005. National Transportation Statistics 2004. Publication BTS04-04. U.S. Department of Transportation. Washington, DC.
- Burson, SL, JL Belant, KA Fortier, WC Tomkiewicz. 2000. The effect of vehicle traffic on wildlife in Denali National Park. Arctic. 53(2):146-151.
- Chomitz, KM and DA Gray. 1996. Roads, land use, and deforestation: a spatial model applied to Belize. The World Bank Economic Review. 10(3):487-512.
- Chruszcz, B., Clevenger, A.P., Gunson, K., and Gibeau, M. 2003. Relationships among grizzly bears, highways, and habitat in the Banff-Bow Valley, Alberta, Canada. Canadian Journal of Zoology. 81: 1378-1391.
- Clevenger, AP and N Waltho. 2000. Factors influencing the effectiveness of wildlife underpasses in Banff National Park, Alberta, Canada. Conservation Biology. 14(1):47-56.
- Conover M.R, Pitt W.C., Kessler K.K., DuBow T.J., Sanborn WA. 1995. Review of human injuries, illnesses, and economic losses caused by wildlife in the United States. Wildlife Society Bulletin. 23(3): 407-414.
- Dilsaver, L.M., W. Wyckoff. 1999. Agency culture, cumulative causation and development in Glacier National Park, Montana. Journal of Historical Geography 25:75-92.
- Duke, D.L., M. Hebblewhite, P.C. Paquet, C. Callaghan, M. Percy. 2001. Restoring a largecarnivore corridor in Banff National Park. Pages 261-276, in Large Mammal Restoration, (eds.) D. Maher, R. Noss, J. Larkin. Island Press, Washington, DC.

- Epps, C.W., P.J. Palsbøll, J.D. Weyhausen, G.K. Roderick, R.R. Ramey, D.R. McCullough. 2005. Highways block gene flow and cause a rapid decline in genetic diversity of desert bighorn sheep. Ecology Letters. 8: 1029-1038.
- Fahrig, L., J.H. Pedlar, S.E.Pope, P.D. Taylor, and J.F. Wegner. 1995. Effect of road traffic on amphibian density. Biological Conservation 74:177-182.
- Forman, RTT. 2000. Estimate of the area affected ecologically by the road system in the United States. Conservation Biology. 14(1):31-35.
- Forman, RTT and L Alexander. 1998. Roads and their major ecological effects. Annual Review of Ecology and Systematics 29: 207-31.
- Foster, M.L. and S.R. Humphrey. 1995. Use of highway underpasses by Florida panthers and other wildlife. Wildlife Society Bulletin 23:95-100.
- Gerlach, G and K Musolf. 2000. Fragmentation of landscape as a cause for genetic subdivision in bank voles. Conservation Biology. 14(4): 1066-1074.
- Gibbs, J.P. and D.A. Steen. 2005. Trends in Sex Ratios of Turtles in the United States: Implications of Road Mortality. Conservation Biology. 19(2): 552–556.
- Gibbs, J.P. and G.Shriver. 2002. Estimating the effects of road mortality on turtle populations. Conservation Biology. 16: 1647-1652.
- Gibeau, ML. 1998. Use of urban habitats by coyotes in the vicinity of Banff Alberta. Urban Ecosystems. 2(2-3): 129-139.
- Gibeau, M.L. 2000. A conservation biology approach to management of grizzly bears in Banff National Park, Alberta. PhD thesis, University of Calgary, Calgary, Alberta.
- Gunther, K, M Biel, and HL Robison. 1998. Factors influencing the frequency of road-killed wildlife in Yellowstone National Park. Proceedings of the International Conference on Wildlife Ecology and Transportation; 1998 February 9-12; Fort Meyers, FL.
- Gunther, K and M Biel. 1999. Reducing human-caused grizzly and black bear mortality along roadside corridors in Yellowstone National Park. Proceedings of the International Conference on Wildlife Ecology and Transportation; 1999 September 13-16; Missoula, MT.
- Gunther, KA, MJ Biel, and HL Robinson. 2000. Influence of vehicle speed and vegetation cover-type on road-killed wildlife in Yellowstone National Park. In: Messmer TA, West B, editors. Wildlife and highways: seeking solutions to an ecological and socio-economic dilemma. 2000 September 12-16: Nashville, TN. 169pp.
- Gunther, KA, MA Haroldson, K Frey, SL Cain, J Copeland, and CC Schwartz. 2004. Grizzly bear-human conflicts in the Greater Yellowstone ecosystem, 1992–2000. Ursus. 15(1):10-22.
- Hansen, M. & A.P. Clevenger. 2005. The influence of disturbance and habitat on the frequency of non-native plant species along transportation corridors. Biological Conservation 125, 249-259.
- Hawes, A. 2000. Traffiking in Yosemite. Zoogoer. 29: 14-20.

- Hindelang, M., D. Premo, E. Rogers and K. Premo. 1999. Addressing deer-vehicle accidents with an ecological landscape GIS approach. Pages 185-192 in G.L. Evink, P. Garrett, and D. Zeigler, editors. Proceedings of the Third International Conference on Wildlife Ecology and Transportation. FL-ER-73-99. Florida Department of Transportation, Tallahassee, Florida.
- Huijser, M.P. 2000. Life on the edge: Hedgehog traffic victims and mitigation strategies in an anthropogenic landscape. Ph.D. thesis, Wageningen University, Wageningen, The Netherlands.
- Huijser, M.P., P.T. McGowen. 2003. Overview of animal detection and animal warning systems in North America and Europe. Pages 368-382 in: C.L. Irwin, P. Garrett, and K.P. McDermott (eds.). 2003 Proceedings of the International Conference on Ecology and Transportation. Center for Transportation and the Environment, North Carolina State University, Raleigh, NC, USA.
- Huijser, M.P., D.E. Galarus, A. Hardy. 2006. Software for Pocket PC to Collect Road-Kill Data. Page 640, in: Proceedings of the 2005 International Conference on Ecology and Transportation. Center for Transportation and the Environment, North Carolina State University, Raleigh, NC, USA.
- Huijser, M.P., J. Fuller, M.E. Wagner, A. Hardy & A.P. Clevenger. (in prep.). Animal-vehicle collision data collection: Second Draft Report. NCHRP Project 20-05/Topic 37-12.Western Transportation Institute Montana State University. Prepared for the Transportation Research Board of the National Academies, Washington, DC, USA.
- Kelly, MJ. 2003. Information technology to support alternative vehicle travel in Yellowstone National Park. http://www.coe.montana.edu/wti/wti/pdf/426292_Final_Report.pdf (Accessed 25 May 2005).
- Kline, N.C. and D.E. Swann. 1998. Quantifying wildlife road mortality in Saguaro National Park. Pages 23-31 in: Evink, G., P. Garrett, D. Zeigler, and J. Berry (eds.), Proceedings of the International Conference on Wildlife Ecology and Transportation. FL-ER-69-98. Florida Department of Transportation, Tallahassee, Florida.
- Lode, T. 2000. Effect of a motorway on mortality and isolation of wildlife populations. Ambio, 29:163-166.
- Lovallo, M.J. & Anderson, E.M. (1996) Bobcat movements and home ranges relative to roads in Wisconsin. Wildlife Society Bulletin, 24, 71-76.
- Lyon, LJ. 1983. Road density models describing habitat effectiveness for elk. Journal of Forestry. 81: 592-95.
- Mattson, DJ and BM Blanchard. 1992. Yellowstone grizzly bear mortality, human habituation, and whitebark pine seed crops. Journal of Wildlife Management. 56(3): 432-443.
- McCaleb, N.A. 2002. Assistant Secretary Indian Affairs, Department of Interior. Testimony on the reauthorization of TEA-21 before the Committee on Transportation and Infrastructure Subcommittee on Highways and Transit, U.S. House of Representatives, October 9, 2002. <<u>http://www.blm.gov/nhp/news/legislative/pages/2002/te021009.htm</u>> (accessed 4 January 2007)

- Messmer, T.A., C.W. Hendricks, P.W. Klimack. 1999. Modifying human behavior to reduce wildlife-vehicle collisions using temporary signage. Pages 125-139 in Wildlife and Highways. T.A. Messmer and B West (eds.), Proceedings of the 7th Annual Meeting of the Wildlife Society, Nashville, Tennessee.
- Miles, M. 2006. Deer Counts 2003-2005. Email communication with attached spreadsheet sent 7/25/06. State Farm Insurance, USA.
- Mumme, R.L., S.J. Schoech, G.E. Woolfenden, and J.W. Fitzpatrick. 2000. Life and death in the fast lane: demographic consequences of road mortality in the Florida scrub-jay. Conservation Biology 14:501-12.
- National Park Service.2003.National Park Service accomplishments on alternative
transportation.alternative
Program.<http://www.nps.gov/transportation/alt/documents/atpaccomplishments.pdf>(accessed
10 July 2004).
- National Park Service. 2005. 2005 Statistical Abstract. National Park Service, Public Use Statistics Office, Denver, CO.
- National Park Service. 2007a. U.S. National Park Service Transportation System Inventory, Washington Office, Washington, D.C. (Personal Communication, Susan Grosser, Transportation Planner, National Park Service, Washington, D.C.).
- National Park Service. 2007b. U.S. National Park Service Interim Safety Management System, Washington Office, Washington, D.C. (Personal Communication, Susan Grosser, Transportation Planner, National Park Service, Washington, D.C.).
- National Parks Conservation Association. 2004. How the National Park System protects biodiversity. http://www.ncpa.org/wildlife_protection/biodiversity/report/parks.asp (Accessed 2 August 2004).
- National Research Council (NRC). 1997. Towards a sustainable future: Addressing the longterm effects of motor vehicle transportation on climate and ecology. The National Academies Press, Washington, DC.
- National Research Council (NRC). 2002. Surface transportation environmental research: A long-term strategy. The National Academies Press, Washington, DC.
- Newmark, WD. 1995. Extinction of mammal populations in western North American national parks. Conservation Biology. 9(3): 512-526.
- Noss, R.F., Quigley, H.B., Hornocker, M.G., Merrill, T. & Paquet, P.C. 1996. Conservation biology and carnivore conservation in the Rocky Mountains. Conservation Biology. 10:949-963.
- Olson, TL, BK Gilbert, and RC Squibb. 1997. The effects of increasing human activity on brown bear use of an Alaska river. Biological Conservation. 82:95-99.
- Parks, S. A. and Harcourt, A. H. (2002) Reserve Size, Local Human Density, and Mammalian Extinctions in U.S. Protected Areas. Conservation Biology. 16(3): 800-808.

- Riley, S.P.D., J.P. Pollinger, R.M. Sauvajot, E.C. York, C. Bromley, T.K. Fuller, and Wayne, R.K. 2006. A southern California freeway is a physical and social barrier to gene flow in carnivores. Molecular Ecology. 15: 1733-1741.
- Rivard, DH, J Poitevin, D Plasse, M Carleton, DJ Currie. 2000. Changing species richness and composition in Canadian national parks. Conservation Biology. 14(4): 1099-1109.
- Romin, LA and JA Bissonette. 1996. Deer-vehicle collisions: status of state monitoring activities and mitigation efforts. Wildlife Society Bulletin. 24(2): 276-283.
- Rondinini C and CP Doncaster. 2002. Roads as barriers to movement for hedgehogs. Functional Ecology. 16:504-509.
- Rosen, PC and CH Lowe. 1994. Highway mortality of snakes in the Sonoran desert of southern Arizona. Biological Conservation. 68: 143–148.
- Rowland, M.M., Wisdom, M.J., Johnson, B.K., Kie, J.G. 2000. Elk distribution and modeling in relation to roads. Journal of Wildlife Management. 64: 672-684.
- Sauvajot, Ray. 2007. Personal Communication, Chief of Planning, Science and Resource Management, National Park Service, Santa Monica Mountains National Recreation Area, Thousand Oaks, CA.
- Seiler, A. 2003. The toll of the automobile: wildlife and roads in Sweden. Doctoral Thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden.
- Singer, FJ; Beattie, JB. 1986. The controlled traffic system and associated wildlife responses in Denali National Park. Arctic. 39:195-203.
- Singer, FJ and JL Doherty. 1985. Managing mountain goats at a highway crossing. Wildlife Society Bulletin. 13: 469-477.
- Spellerberg, I.F. 1998. Ecological effects of roads and traffic: a literature review. Global Ecology and Biogeography 7, 317-333.
- Spellerberg, I.F. 2002. Ecological effects of roads. Science Publisher Inc., Plymouth, U.K.
- Strasburg, J.L. 2006. Roads and genetic connectivity. Nature. 440: 875-876.
- Strittholt, JR and DA Dellasala. 2001. Importance of roadless areas in biodiversity conservation in forested ecosystems: Case study of the Klamath-Siskiyou Ecoregion of the United States. Conservation Biology. 15(6): 1742-1754.
- Sweanor, L.L., Logan, K.A. & Hornocker, M.G. 2000: Cougar dispersal patterns, metapopulation dynamics, and conservation. Conservation Biology. 14: 798-808.
- Truett, LF, SM Chin, ECP Change. Strategic plan for coordinating rural intelligent transportation system (ITS) transit development in the Great Smoky Mountains National Park. [Washington, D.C.:] U.S. Department of Transportation, Federal Transit Administration. [2002]. http://cta.ornl.gov/cta/Publications/pdf/ORNL_TM_2002_256.pdf> (Accessed 5 June 2005).
- Tyser, R.W. and C.A. Worley. 1992. Alien flora in grasslands adjacent to road and trail corridors in Glacier National Park, Montana (USA). Conservation Biology. 6: 253-262.

- U.S. General Accounting Office. 2002. National Park Service: Opportunities to improve the administration of the alternative transportation system. U.S. General Accounting Office, Washington, DC, 14 pp.
- Waller, J. and Servheen, C. 2005. Effects of transportation infrastructure on grizzly bears in northwestern Montana. Journal of Wildlife Management. 69(3): 985-1000
- Wayne, RK, N Lehman, MW Allard, and RL Honeycutt. 1992. Mitochondrial DNA Variability of the Gray Wolf: Genetic Consequences of Population Decline and Habitat Fragmentation. Conservation Biology. 6(4): 559-569.
- White, D.D. 2007. An interpretive study of Yosemite National Park visitors' perspectives toward alternative transportation in Yosemite Valley. Environmental Management. 39:50-62.
- Wolf, P. 1981. Land in America: its value, use and control. New York: Pantheon Books.
- Yost, AC and RG Wright. 2001. Moose, caribou, and grizzly bear distribution in relation to road traffic in Denali National Park, Alaska. Arctic. 54(1): 41-48.